

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patentee : Hans G. Boman, Mats Andersson, Katrin Pütsep and Göran Carlsson
Patent No.: 7,591,997 Issued: September 22, 2009
Title: Method For Determining The Susceptibility Of A Subject To Infection

| | |
|---|--------------------|
| CERTIFICATE OF MAILING OR TRANSMISSION | |
| I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as First Class Mail in an envelope addressed to Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, or is being facsimile transmitted to the United States Patent and Trademark Office on: | |
| _____ Date | _____ Signature |
| _____ Typed or printed name of person signing certificate | |

REQUEST FOR CERTIFICATE OF CORRECTION

Commissioner for Patents
Office of Patent Publication
ATTN: Certificate of Correction Branch
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

Pursuant to 35 U.S.C. § 254, we hereby request a Certificate of Correction be issued for the above-referenced U.S. Letters Patent to correct errors as shown below:

Claim 8, Column 21, Line 47, delete "cylostatic" and insert ---cytostatic---


Claim 12, Column 22, Line 38, delete "neunopenia" and insert ---neutropenia---

Since the errors were made by the U.S. Patent and Trademark Office and not by Patentee or Patentee's Attorney/Agent, it is understood that there are no additional fees for the requested Certificate of Correction. A Certificate of Correction is enclosed herewith.

Respectfully submitted,

HAMILTON, BROOK, SMITH & REYNOLDS, P.C.

By



Alice O. Carroll

Registration No.: 33,542

Telephone: (978) 341-0036

Facsimile: (978) 341-0136

Concord, MA 01742-9133

Dated:

October 16, 2009

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,591,997 B2
DATED : September 22, 2009
INVENTOR(S) : Hans G. Boman, Mats Andersson, Katrin Pütsep and
Göran Carlsson

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Claim 8, Column 21, Line 47, delete "cylostatic" and insert ---cytostatic---

Claim 12, Column 22, Line 38, delete "neunopenia" and insert ---
neutropenia---

MAILING ADDRESS OF SENDER:

021005
Hamilton, Brook, Smith & Reynolds, P.C.
530 Virginia Road, P.O. Box 9133
Concord, Massachusetts 01742-9133

PATENT NO. 7,591,997 B2

No. of add'l copies
50s per page

➡ -0-